

T.16N R.4W 2nd Mer.

	6	791	5	285	4	280	3	276	2	271	1	264
	290		290		284		280		276		271	
	7	289	8	284	9	280	10	276	11	271	12	264
	289		289		284		279		275		271	
	18	288	17	283	16	279	15	275	14	271	13	263
	288		288		283		279		274		270	
	19	287	20	282	21	278	22	274	23	270	24	263
	286		286		282		278		274		269	
	30	286	29	282	28	278	27	273	26	269	25	263
	286		285		281		277		273		269	
	31	285	32	280	33	277	34	273	35	268	36	262
	262		262		261		261		261		261	

T1N__ R. 5W__ 2nd Mer.

306	6	331	5	326	4	321	3	317	2	311	1	302
333		330		326		321		316		311		
306	7	330	8	325	9	321	10	315	11	311	12	301
333		330		325		320		315		310		
306	18	329	17	324	16	319	15	315	14	310	13	301
333		329		324		320		314		309		
305	19	329	20	324	21	319	22	314	23	308	24	300
332		328		323		318		313		308		
305	30	328	29	323	28	318	27	313	26	307	25	300
332		327		322		317		312		307		
304	31	327	32	322	33	317	34	312	35	307	36	299
299		298		298		298		297		297		

 The figures on the lines refer to the page.

Meander 334

Township No 16. North of Range No 4 West of the 2nd Meridian

261

Ch. Sec.

South Boundary

July 15. 1819 v. 605

Q 163

West
40.00 On the South Boundary of sec. 36 T. 16. N. R. 4 W.
Set a 14 sec. post from which
Buck 14 in. dia. band N 14 E 13 links dish; & a,
do 9 " " " N 8 E 26 " "
80.00 Set a post for the cor. of sec. 35 & 36. from which a
Buck 9 in. dia. band East 29 links dish; & a,
do 9 " " " S 87 N. 29 " "
Land here under 2nd rate; good for farming;
Timber Buck, Sugar, Oak, Hickory Poplar

West
40.00 On the South Boundary of sec. 35 T. 16. N. R. 4 W.
Set a 14 sec. post from which
W. Ash 18 in. dia. band N 7 E 17 links dish; & a,
W. Ash 24 " " " S 4 E 20 " "
80.00 Set a post for the cor. of sec. 34 & 35 from which a
Buck 9 in. dia. band S 9 N. 6 links dish; & a,
do 9 " " " N 4 E 40 " "
Land same as last mile;

West
31.50 On the South Boundary of sec. 34 T. 16. N. R. 4 W.
Set a Brook 10 links wide; Corner N. W.
40.00 Set a 14 sec. post from which
Buck 9 in. dia. band N 70 E 10 links dish; & a,
W. Ash 8 " " " S 23 N. 29 " "
63.00 Set a Brook 12 links wide; Corner N. W.
80.00 Set a post for the cor. of sec. 33 & 34 from which a
Sugar 9 in. dia. band East 27 links dish; & a,
W. Ash 12 " " " S 76 N 36 " "
Land same as last mile;

West On the South Boundary of sec. 33 T. 16. N. R. 4 W.

T. N. 15 N.R. N. 4 7th 2nd Mer Ind.

- 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Sugar 10 in. dia: band S30 E. 7 links dist; & a
 Buck 12 " " " N32 W. 22 " "
- 80.00 Set a post for the cor of sec. 32 & 33 from which a
 Buckeye 10 in. dia: band S66 E. 21 links dist; & a
 Hickory 9 " " " S65 W. 19 " "
 Same as last mile;

- West On the South Boundary of sec. 32 T. 16 N.R. 4 W.
- 40.00 To a Buck 6 in. dia: stands for cor of $\frac{1}{4}$ sec.
- 80.00 Set a post for the cor of sec. 31 & 32 from which a
 Buck 12 in. dia: band S30 E. 13 links dist; & a
 Sugar 9 " " " N27 E. 18 " "
 Same as last mile;

- West On the South Boundary of sec. 31 T. 16 N.R. 4 W.
- 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Buck 9 in. dia: band N40 W. 5 links dist; & a
 Hickory 18 " " " S81 E. 34 links dist;
- 50.00 To a Hay Branch 12 $\frac{1}{2}$ mile, Corner W.
- 54.00 Enter the N. 5 Range line 307 North of the temp. cor. of T. 15 & 16 N.R. N. 4 & 5 W. and set a post from which a Buck 18 in. dia: band S8 E. 24 links dist; and a Wash 30 " " " N24 E. 13 " "
 Same soil and timber same as last mile;

East Boundary

r. 6.20' Q. 161

- North On the East Boundary of sec. 36 T. 16 N.R. 4 W.
- 4.00 To a Buck 6 links dist; Corner E.
- 16.00 " " L. 8 " " S.E.
- 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Sugar 13 in. dia: band S35 W. 15 links dist; & a
 L. 5 " " " N39 E. 21 " "

263

T. N^o 16. N.R. N^o 4 W. 2nd Mer. Ind.^a

42.00	To a Brook 10 links wide; Come E.
80.00	Set a post for the cor of sec. 25 & 36 from which a Sugar. 18 in. dia: bend. S 77 N. 16 links west; & a, Do. 12 " " " N 15 E. 16 " " Land rolling and good for farming; Timber Birch, Sugar Oak, Poplar, some Walnut.
North	Peterson Sec. 25 & 30 On the East Boundary of sec. 25. T. 16. N.R. 4 W.
2.00	To a Brook 8 links wide; Come East
26.00	" " Do. 8 " " " E.
40.00	Set a post from which a Brook 14 in. dia: bend. N 15 W. 5 links west; & a, Do. 12 " " " S 8 E. 23 " "
80.00	Set a post for the cor of sec. 24 & 25 from which a Brook. 18 in. dia: bend. S 58 E. 26 links west; & a, Do. 30 " " " N 72 W. 25 " " Land similar to last mile;
North	On the East Boundary of sec. 24. T. 16. N.R. N ^o 4 W.
40.00	Set a post from which a Sugar. 15 in. dia: bend. S 13 E. 30 links west; & a, W. Ash 9 " " " S 9 W. 27 " "
68.00	To a Brook 10 links wide; Come W.
78.00	" " Do. 15 " " " "
80.00	Set a post for the cor of sec. 13 & 24 from which a Sugar. 12 in. dia: bend. N 19 E. 3 links west; & a Brook 4 ft wide for current. Land as above.
North	On the East Boundary of sec. 13. T. 16. N.R. 4 W.
40.00	Set a post from which a Sugar 18 in. dia: bend. N 48 E. 15 links west; & a,

T. N. 16. R. N. 4 Q. 2nd Mer. Ind. 2

W. Oak. 30 in. dia: bend. N 77 W. 14 links dist;
 80.00 Set a post for the cor. of sec. 12. & 13. from which a
 Sugar. 12 in. dia: bend. S 5 E. 24 links dist;
 Buck. 8 " " " N 36 E. 26 " "
 Lands similar Part level and some wheat met; good for
 farming;

North On the East Boundary of sec. 12. T. 16. R. N. 4 W.
 40.00 Set a post from which a
 Buck. 4 in. dia: bend. S 26 W. 10 links dist; & a
 Sugar 12 " " " N 40 E. 24 " "
 55.00 To a Brook 8 links wide; Course N. W.
 70.00 " " 15 " " " W.
 80.00 Set a post for the cor. of sec. 1 & 12 from which a
 Sugar 7 in. dia: bend. S 14 W. 20 links dist; & a
 Buck. 5 " " " N 29 E. 20 " "
 Lands same and rich; good for farming.

North On the East Boundary of sec. 1 T. 16. R. N. 4 W.
 40.00 Set a post from which a
 Sugar. 16 in. dia: bend. S 40 E. 23 links dist; & a
 Buck. 14 " " " N 2 W. 34 " "
 52.00 To a Brook 30 links wide; Course W.
 80.00 Set a temporary post for the cor. of sec. 1 & 6. T. 16. R. N. 3
 & 4 W. Lands similar. For bearings see below*

North Boundary Aug. 10. 1819. Q. 187
 West On the South Boundary of sec. 31. T. 16. R. N. 3 W.
 13.34 Entered the Range line between R. N. 3 & W. 696 links N.
 of the temporary Township cor. and set a post for the cor. of
 Secs. 16 & 16. T. 16. R. N. 3 & 4 W. from which a
 Sugar 12 in. dia: bend. S 24 W. 4 links dist; & a
 * W. Oak. 5 " " " N 7 E. 22 " "

26.

T. N^o 16. N. R. N^o 4 W. 2nd Mer. Ind.

40.00 Set a $\frac{1}{4}$ cu. post from which a
 Hick^y 30 in. diam. beam. 468 E. 11 links each; & a,
 Buck. 18 " " " N 73 W. 23 " "
 68.00 Toalerak 30 links wide, corner N.
 80.00 Set a post for the cor of Town. 17. N R. 3 & 4 W. from
 which an Ironwood 5 in. diam. beam. N 28 W. 20 links each;
 on dew Hick^y 30 " " " 429 W. 2 " "
 Sand & saw at last mile;

West On the South Boundary of sec. 36. T. 17. N. R. 4 W.
 30.12 Toalerak 12 links wide; corner N.
 40.00 Set a $\frac{1}{4}$ cu. post from which a
 Sugar. 9 in. diam. beam. N 79 E. 13 links each; & a,
 B. Walnut 19 " " " N 61 W. 28 " "
 80.00 Set a post for the cor of sec. 35 & 36. from which an
 Elm 9 in. diam. beam. S 15 E. 39 links each; & a,
 Hick^y 8 " " " N 38 W. 20 " "
 Sand & Runw.

West On the South Boundary of sec. 35. T. 17. N. R. 4 W.
 40.00 Set a $\frac{1}{4}$ cu. post from which a
 Sugar 8 in. diam. beam. N 1 E. 9 links each; & a,
 Hick^y 12 " " " 449 W. 19 " "
 80.00 Set a post for the cor of sec. 34 & 35 from which a
 Sugar. 20 in. diam. beam. N 49 W. 23 links each; & a,
 B. Oak. 6 " " " 443 E. 32 " "
 Sand R. rate; Timber Sugar Walnut Oak, Hick^y

West On the South Boundary of sec. 34 T. 17. N. R. 4 W.
 40.00 Set a $\frac{1}{4}$ cu. post from which a
 Hick^y 8 in. diam. beam. S 61 E. 10 links each; & a,
 Buckeye 8 " " " N 83 W. 19 " "
 50.00 Toalerak 70 links wide, corner S. E.

80.00 Set a post for the cor of sec. 33 & 34 from which a
 B. Walnut 6 in. diam. bears N 46 E. 26 links due; & a
 Hackberry 10 " " " N 79 E. 28 " "
 Sand first rate bottom; overflows in part.

West On the South Boundary of sec. 33. T. 17. N.R. 4 W.

50.00 To a Creek 30 links wide; Come S.

20.00 " " Brook 20 " " " S.

40.00 Set a post from which a
 Sugar. 20 in. diam. bears N 57 W. 33 links due; & a
 Do. 26 " " " S 82 E. 25 " "

78.00 To a Brook 6 links wide; Come S.

80.00 Set a post for the cor of sec. 32 & 33. from which a
 Beech 14 in. diam. bears N 26 E. 6 links due; & a
 Buckeye 6 " " " S 38 W. 19 " "
 V. 6.00' by observation

West On the South Boundary of sec. 32. T. 17. N.R. 4 W.

40.00 Set a post from which a
 Beech. 10 in. diam. bears S 19 E. 15 links due; & a
 Sugar. 12 " " " N 74 W. 17 " "

44.00 To a Brook 10 links wide; Come S.

62.86 Enter at the Range line between T. 16. N.R. 4 & 5 W.
 4.37 links South of the post (comp. 7) and set a post for
 the cor of T. 16. N.R. 4 & 5 W. from which a
 Beech. 18 in. diam. bears S 76 E. 30 links due; & a
 Sugar. 24 " " " N 14 W. 27 " "

N West Boundary V. 6.25' Q. 1

North On the East Boundary of sec. 36. T. 16. N.R. 5 W.

16.00 To a Brook 10 links wide; Come N.

40.00 Set a post from which a
 Beech. 27 in. diam. bears S 9 W. 20 links due; & a

267

T. N. 16. N. R. N. 4 W. 2nd Mer. Ind.

80.00	<p>Buck. 30 in. dia. beam. N 43 E. 30 links dist;</p> <p>Set a post for the cor of sec. 25 & 36 from which a</p> <p>B Walnut. 12 in. dia. beam. S 48 E. 18 links dist; & a</p> <p>Wick 9 " " " N 47 W. 32 " "</p> <p>Land a little rolling; and good for farming;</p> <p>Timber same as last mile; viz Buck, Sugar, Oak,</p> <p>Wick Poplar;</p>
North	On the East Boundary of sec. 25. T. 16. N. R. 5 W.
40.00	To a Oak 60 links wide; Corner N.
40.00	<p>Set a 74 sec. Post from which a</p> <p>Sugar. 6 in. dia. beam. S 37 N. 33 links dist; & a</p> <p>Elm 10 " " " S 9 N. 45 " "</p>
54.00	To a Spring branch 3 links wide, Corner N. E.
80.00	<p>Set a post for the cor of sec. 24 & 25 from which a</p> <p>Buck. 12 in. dia. beam. S 21 E. 19 links dist; & a</p> <p>Do 9 " " " N 40 W. 5 " "</p> <p>Land rich and good for farming; Part wet; bottom</p>
North	On the East Boundary of sec. 24. T. 16. N. R. N. 5 W.
40.00	To an Elm 8 in. dia. Stand for the cor of 74 sec. from which
80.00	<p>a Buck. 12 in. dia. beam. N 65 E. 23 links dist;</p> <p>Set a post for the cor of sec. 13 & 24 from which a</p> <p>Sugar. 14 in. dia. beam. S 50 E. 8 links dist; & a</p> <p>Do. 18 " " " N 84 W. 18 " "</p> <p>Land a little rolling and good for farming;</p> <p>Timber same as last mile;</p>
North	On the East Boundary of sec. 13. T. 16. N. R. 5 W.
40.00	To a Wick 10 in. dia. Stand for the cor. of 74 sec.
80.00	<p>To a Sugar. 9 " " " " " " " " of sec. 12 & 13</p> <p>from which Wick 12 in. dia. beam S 4 E. 22 links dist</p> <p>Land level and 2nd rate; part rather wet; muddling</p>

T. N. 16. N.R. N. 47. 2nd Mer. Ind.

good for farming;

North	On the East Bound of sec. 12 T. 16. N.R. 57.
5.00	To a Brook 10 miles wide, Course N.
40.00	Set a 7/4 cu. post from which a Syc. 14 in. dia. bend. South 16 miles dist; t ₂
	Sugar. 9 " " " " N 23 W. 17 " "
62.00	To a Brook 150 miles wide, Course E. 77.
76.00	Set a post for the cor of sec. 1. & 12 from which a Hackberry 14 in. dia. bend. S 62 W. 14 miles dist; t ₂
80.00	Do. 8 " " " " N 75 E. 26 " "
	Land rich and good for farming. Timber same same Walnut.

North	On the East Bound of sec. 1. T. 16. N.R. 57.
23.00	To a Brook 20 miles wide, Course E.
40.00	Set a 7/4 cu. post from which a Buck. 9 in. dia. bend. S 67 W. 16 miles dist; t ₂
	Sugar. 18 " " " " N 23 W. 32 " "
43.00	To a Brook 10 miles wide, Course E.
75.00	" " " " " " " " E.
80.00	Set a 1/2 cu. post for the cor of T. 16. N.R. 4 & 57.
	Land similar

Surveyed by
William Harris L.S.

Subdivisions

North	Between Sec. 35 & 36. T. 16 N.R. 4 77.
23.00	To a Brook 12 in. dia. no bend.
40.00	Set a 7/4 cu. post from which a Hack 20 in. dia. bend. N 57 E. 12 miles dist; t ₂
	Wash 32 " " " " N 14 E. 24 " "
61.00	To a Brook 14 in. dia. no bend

80.00	Set a post for the cor of sec. 25, 26, 35 & 36 from which a Buck. 18 in. dia. bend. S 28 W. 13 links dist; & a do. 11 " " " N 22 E. 33 " " Land level and good 2 nd rate; Timber Buck, Sugar, Hickory, Ash, Walnut & W. Spruce.
Cash	On Random line between Sec. 25 & 36. T. 16. N. 4. W.
40.00	Set a temp. 7/4 sec. post of
79.86	Intersect the N. 4 S. line at the post cor of sec. 25 & 36. Land rolling and good 2 nd rate; Timber Buck, Sugar, Hickory, Black Walnut & Sugar Spruce.
79.86	On the true line between Sec. 25 & 36. T. 16. N. 4. W.
39.93	Set the temp. 7/4 sec. post at the cor. dist. in the true line from which a Maple 11 in. dia. bend. S 35 E. 10 links and a Hickory 20 " " " N 25 E. 28 " " To the post cor of sec. 25, 26, 35 & 36.
North	Between Sec. 25 & 26. T. 16. N. 4. W.
18.50	To a Buck. 20 in. dia. in line
40.00	Set a 7/4 sec. post from which a Sugar. 22 in. dia. bend. N 47 E. 15 links dist; & a do. 10 " " " S 23 W. 25 " "
61.54	From 30 in. dia. in the line
64.00	To a Spring branch; Corner C.
80.00	Set a post for the cor of sec. 23, 24, 25 & 26 from which a Buck. 10 in. dia. bend. S 70 W. 28 links dist; & a Sugar. 16 " " " N 5 E. 35 " " Land rolling and 2 nd rate; Timber Buck, Sugar, Hickory & W. Spruce.
Cash	On a Random line between Sec. 24 & 25 T. 16. N. 4. W.
11.15	To a Buck. 10 links dist; Corner N. W.

D. 16. N. R. No. 4 W. 2nd Mer. Ind 5

28.84 To a small branch Course N. W.
 40.00 Set a 7/8 cu post from which a
 79.90 Intersect the N & S line 12 links South of the post cor.
 of sec 24 & 25.
 Sunde rolling and 2nd rate; Timber Beech, Sugar,
 Hickory, W. Ash, Poplar, &c. Undergrowth Spruce.

West On the true line between Sec. 24 & 25 & 16. N. R. No. 4 W.
 39.95 Set the temp 7/8 cu. post at the arr. dish on the true line
 from which a Sugar 24 in. diam. band. S 85 7/8 E. 26 links
 and a W. 38 7/8 N. 35 " "
 79.90 To the cor of sec. 23, 24, 25 & 26.

North Between Sec. 23 & 24 & 16. N. R. No. 4 W.
 33.20 To a Sugar 14 in. diam. in line
 33.25 To a small branch Co. N. E.
 40.00 Set a 7/8 cu post from which a
 Sugar 16 in. diam. band. S 40 E. 26 links dish; & a
 W. 14 " " " N 38 7/8 W. 71 " "
 58.71 To a Run Oak 22 in. diam. in line.
 69.72 To a Branch 25 links wide; Course N.
 80.00 Set a post for the cor of sec. 13, 14, 23, & 24 from which a
 Beech 24 in. diam. band. N 23 7/8 E. 37 links dish; & a
 W. 14 " " " S 23 E. 34 " "
 Sunde rolling and 2nd rate; Timber Beech, Sugar
 and Hickory, W. Ash &c Undergrowth Spruce.

East On a Remains line between Sec. 13 & 24 & 16. N. R. No. 4 W.
 40.00 Set a temp 7/8 cu. post
 79.75 Intersect the N & S line at the post cor of sec. 13 & 24
 Sunde rolling and 2nd rate; Timber Beech, Sugar,
 Hickory, W. Ash &c Undergrowth Spruce.

271

I. No 15 N.R. No 4 W. 2nd Mrs. Ind.

West On the true line between Sec 13 & 24. T. 16 N. R. 4 W.
 39.87 $\frac{1}{2}$ Set the temp. $\frac{1}{4}$ sec post at the cor. dish on the true line
 from which a Buck. 10 in. dia. beam. N 18 E. 7 lbs dish
 made a Do. 11 " " " S 37 N. 29 " "
 79.75 To the post cor of sec 13, 14, 23 & 24

North Between Sec 13 & 24. T. 16 N. R. 4 W.
 24.84 To a sugar 12 in. dia. in line.
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Sugar. 18 in. dia. beam. S 31 $\frac{1}{2}$ E. 4 6 lbs dish; & a
 Do. 11 " " " N 26 N. 35 " "
 59.75 To a Hick 22 in. dia. in line.
 80.00 Set a post for the cor of sec 11, 12, 13 & 14 from which a
 Sugar. 11 in. dia. beam. S 5 N. 38 lbs dish; & a
 Buck. 15 " " " N 11 N. 23 " "
 Sand rolling and 2nd rate; Timber Buck, Sugar,
 Hick, Ash, & Undergrowth Spruce.

East On a true line between Sec 12 & 13. T. 16 N. R. 4 W.
 40.00 Set a temp. $\frac{1}{4}$ sec. post
 79.75 Intersect the N & S line at the post cor of Sec 12 & 13.
 Sand rolling and 2nd rate; Timber Buck, Sugar,
 Hick, N. Oak, B.R. Walnut, Poplar Ash, &
 undergrowth Spruce.

West On the true line between Sec 12 & 13. T. 16 N. R. 4 W.
 39.87 $\frac{1}{2}$ Set the temp. $\frac{1}{4}$ sec post at the cor. dish on the true line
 from which a Sugar. 16 in. dia. beam. N 64 E. 7 lbs dish
 made a Buck. 8 " " " S 59 $\frac{1}{2}$ N. 39 " "
 79.75 To the post cor of sec 11, 12, 13 & 14.

North Between Sec 11 & 12 T. 16 N. R. 4 W.
 21.27 To a Sugar 24 in. dia. in the line.

T. N^o 16. N. R. N^o 4 Y. 2nd M^o Ind.

- 40.00 Set the 1/4 sup post from which a
Sugon. 10 in. dia. beam. 562 p 7.15 links arb; & a
Lo. 18 " " " N 18 p E. 18 " "
- 61.56 To a Sugon. 13 in. dia. in the line.
- 80.00 Set a post for the cor of sub. 1.2.11. & 12 from which a
Beck. 8 in. dia. beam. 551 E. 3 links arb; & a
Sugon. 18 " " " N 34 p 32 " "
Sands rolling under 2nd rate; Timber Beck, Sugon,
Heik 1/5 & 1/2 under the spine.

- East On a Koudum line between Sub. 1 & 12 T. 16. N. R. 4 M.
- 18.60 To a Brook 25 links wide; Corner N. N.
- 40.00 Set a temp^y 1/4 sup post
- 79.73 Intersect the N. W. line at the post cor of sub. 1 & 12
Sands rolling under 2nd rate; Timber Beck, Sugon,
and Heik 1/5 & 1/2 under the spine.

- West On the true line between Sub. 1 & 12 T. 16. N. R. 4 M.
- 39.86 p Set the temp^y 1/4 sup post at the cor. dia. on the true line
from which a Beck. 18 in. dia. beam. N 49 p 27 the arb;
and a - Wash. 8 " " " 529 E. 30 " "
- 79.73 To the post cor of sub. 1.2.11. & 12.

- North Between Sub. 1 & 2 T. 16. N. R. 4 M.
- 9.50 To a Brook 25 links wide; Corner N.
- 18.45 To a Sugon. 18 in. dia. in the line.
- 40.00 Set a 1/4 cu. post from which a
Beck. 16 in. dia. beam. 559 E. 6 links arb; & a
Lo. 16 " " " N 18 p 7.40 " "
- 78.30 To a Wash. 18 in. dia. in the line
- 86.62 Intersect the N. B. line and set a post for the cor of
Sub. 1 & 2 from which a
Heik 1/5 in. dia. beam. N 84 E. 10 links arb; & a

273

T. N^o 16. N.R. N^o 4 W. 2nd (Nw. End.)

Buck 3 in. dia. burs. S 89 W. 13 links out
Lau do rolling and 2nd rate; Timber Buck, Sugar,
Heiky Ash, &c. in length Spec.

North Between Sec. 34 & 35 T. 16. N.R. 4 W.
30.80 To a Heiky 18 in. dia. in line.
40.00 Set a $\frac{1}{4}$ cu. post from which
Buck 9 in. dia. burs. S 83 E. 23 links out; & a,
Sugar 12 in. " " N 5 E. 31 " "
41.25 To a Buck 10 links in the corner N.W.
70.25 To a Pine Oak 18 in. dia. in line.
80.00 Set a post for the cor of sec. 26, 27, 34 & 35 from which
Sugar 10 in. dia. burs. N 10 E. 5 links out; & a,
H. 12 in. " " S 46 W. 37 " "
Lau do rolling & 2nd rate; Timber Buck, Sugar, & Ash,
& Heiky in length Spec.

East On a random line between Sec. 26 & 35 T. 16 N. 4 W.
40.00 Set a temp. $\frac{1}{4}$ cu. post
79.58 Enter set the N.E. line at the post cor of sec. 25, 26, 35 & 36.
Lau do rolling and 2nd rate; Timber Buck, Sugar,
Ash, Sugar Heiky & W. Oak; in length Spec.

West On the true line between Sec. 26 & 35. T. 16 N. 4 W.
39.79 Set the temp. $\frac{1}{4}$ cu. post at the av. dia. on the true line.
from which Buck 14 in. dia. burs. N 78 W. 25 links out
and a B.R. Walnut 9. " " S 62 W. 25 " "
79.58 To the post cor of sec. 26, 27, 34 & 35.

North Between Sec. 26 & 27 T. 16 N.R. N^o 4 E.
21.19 To a Red Oak 16 in. dia. in the line.
40.00 Set a $\frac{1}{4}$ cu. post from which
Buck 18 in. dia. burs. N 60 E. 5 links out; & a

T. N. 16. N. R. N. 4 N. 2nd 1st Sec. 2

Sugar. 9 in. diam. band. S 9 E. 19 links east
 63.84 To an Ash 18 in. diam. in line
 80.00 Set a post for the cor of sec. 22, 23, 26, & 27 from which is
 Buckeye 13 in. diam. band. S 9 E. 14 links east; & a
 Loc. 13 " " East 19 " "
 Land rolling, and 2nd rate; Timber Birch, Sugar
 Ash, Elm & B. Walnut; Undergrowth Spruce.

East On a Random line between Sec. 23 & 26 T. 16 N. R. 4 W.
 40.00 Set a stump 1/4 sec. post
 79.60 Intersect the N & S line at the post cor of sec. 23, 24, 25 & 26
 Timber Birch, Sugar, Ash, & Hickory, B. Walnut & Elm
 undergrowth Spruce.

West On the true line between Sec. 23 & 26 T. 16 N. R. 4 W.
 39.80 Set the stump 1/4 sec. post at the arr. dist. on the true line
 from which is Sugar. 18 in. diam. band. N 59 E. 18 links east.
 or as a Loc. 10 " " S 67 W. 18 " "
 79.60 To the post cor of sec. 22, 23, 26 & 27.

North Between Sec. 22 & 23 T. 16 N. R. N. 4 W.
 20.45 To a Sugar. 16 in. diam. in the line
 40.00 Set a 1/4 sec. post from which is
 Birch. 5 in. diam. band. N 69 E. 8 links east; & a
 Sugar. 16 " " S 43 W. 6 " "
 68.25 To an Elm 24 in. diam. in the line.
 80.00 Set a post for the cor of sec. 14, 15, 22 & 23 from which is
 Birch. 18 in. diam. band. N 16 W. 15 links east; & a
 Elm 14 " " S 78 E. 18 " "
 Land rolling 2nd rate; Timber Birch, Sugar, Ash,
 Hickory & Elm; Undergrowth Spruce.

East On a Random line between Sec. 14 & 23 T. 16 N. R. 4 W.

275

T. N. 16. N.R. N. 4 N. 2nd Mer. Ind.

0.00 To Brook 40 links wide, Corner N.R.
 40.00 Set a trap. $7\frac{1}{4}$ ft. sup. post.
 79.59 Intersect the N.S. line at the post cor of lvs 13/14.
 23 & 24 Sand rolling and 2nd rate; Timber Buck
 Sugar, ash, B Walnut, & Elm; undergrowth Spruce.

Mesh Cut the two lines between Lvs 14 & 23 T. 16. N.R. N. 4 N.
 39.79 Set the trap. $7\frac{1}{4}$ ft. sup. post at the av. dist on the two lines
 from which on R. Oak 18 in. dist. bend N 70 E. 30 links each;
 and on Brook 20 " " " S 21 E. 30 " "
 79.59 To the post corner of lvs 14, 15, 22, & 23.

North Between Lvs 14 & 15 T. 16. N.R. N. 4 N.
 6.25 To Brook 25 links wide, Corner N.R.
 16.83 To B Walnut 30 in. dist. in the line.
 29.25 " " Brook 20 links wide, Corner T.N.
 40.00 Set a $7\frac{1}{4}$ ft. sup. post from which on
 Elm 9 in. dist. bend N 24 E. 16 links each; & on
 Sugar 20 " " " S 19 $7\frac{1}{4}$ N. 24 " "
 68.47 To Hickory 12 in. dist. in the line.
 80.00 Set a post for the cor of lvs 10, 11, 14 & 15 from which on
 Lynn 9 in. dist. bend N 30 E. 23 links each; & on
 Do 16 " " " S 20 N. 19 " "
 Sand rolling and 2nd rate; Timber Buck, Sugar,
 ash, Hickory, Lynn, & R. Oak; undergrowth Spruce.

East On a Random line between Lvs 11 & 14 T. 16 N. 4 N.
 40.00 Set a trap. $7\frac{1}{4}$ ft. sup. post.
 79.60 Intersect the N.S. line at the post cor of lvs 11, 12, 13 & 14
 Sand rolling & 2nd rate; Timber Buck, Sugar, ash,
 Lynn, R. Oak, Hickory & Elm, &c, undergrowth Spruce.

Mesh Cut the two lines between Lvs 11 & 14 T. 16 N. 4 N.

T^N 16. N.R. N^o 47. 2nd Qm. Ind^o:

39.80 Set the temp. $\frac{1}{4}$ in. apart at the aver. dist. in the true line from
 which a Beech 4 in. diam. trunk. N 53 E. 5 links dist.;
 and a No. 12 " " " 860 N 17 " "
 79.60 To the post cor of sec. 10, 11, 14 & 15

North Between Sec. 10 & 11 T^N 16. N.R. 47.
 20.00 To a Pine Oak 36 in. diam. in line
 40.00 Set a temp. $\frac{1}{4}$ in. apart from which an
 Ash 6 in. diam. trunk. N 25 E. 23 links dist; & a
 Hick 14 " " " 813 E. 27 " "
 75.67 To a B. Walnut 24 in. diam. in the line.
 80.00 Set a post for the cor of sec. 2, 3, 10 & 11 from which a
 Sugar 12 in. diam. trunk. N 59 E. 38 links dist; & a
 No. 12 " " " 859 E. 6 " "
 Land rolling + 2nd rate; Timber Beech, Sugar, B. Wal-
 nut & Spruce. Hick, N. & R. Oak, undergrowth Spruce.

East On a Random line between Sec. 2 & 11 T^N 16. N.R. 47.
 40.00 Set a temp. $\frac{1}{4}$ in. apart
 79.60 Intersect the N & S line at the post cor of sec. 1, 2, 11 & 12
 Land rolling + 2nd rate; Timber Beech, Sugar, Ash,
 N. Oak, Hick, B. R. Walnut, undergrowth Spruce.

West On the true line between Sec. 2 & 11 T^N 16. N.R. 47.
 39.80 Set the temp. $\frac{1}{4}$ in. apart at the aver. dist. in the true line
 from which a Beech 14 in. diam. trunk. N 31 W. 9 links dist
 and a No. 12 " " " 851 E. 32 " "
 79.60 To the post cor of sec. 2, 3, 10 & 11.

North Between Sec. 2 & 3 T^N 16. N.R. 47.
 18.00 To a Sugar 16 in. diam. in the line.
 40.00 Set a $\frac{1}{4}$ in. apart from which a
 Beech 14 in. diam. trunk. N 31 E. 20 links dist & a

277

D. No 16. N.R. No 4 W. 2nd. Inv. Ind.

60.00 Buck 9 in air: bears N30 E. 51 links curb;
To a Sugar. 14 in. air: in the line.
66.00 To a Brook 40 links mid, corner N.
85.84 Enter cut the N. B. road and set a post for the cor.
of lvs. 2 & 3 from which
Buck 9 in air: bears S51 1/2 N. 20 links curb; To
Sugar. 18 " " " N78 E. 21. " "
Lands & timber same as last mile.

North Between Sul. 33 & 34 T 16 N. 4 W.
18.00 To a Brook 12 links mid, corner N.W.
19.44 To a Sugar. 16 in. air: in line.
34.80 To a small branch, corner N.W.
40.00 Set a 1/4 sec post from which
Sugar. 12 in. air: bears N56 W. 6 links curb; & a
Lo. 13 " " " S31 1/2 E. 28 " "
60.63 To a Sugar. 15 in air: in line.
80.00 Set a post for the cor of lvs. 27, 28, 33 & 34 from which
Sugar. 23 in. air: bears S22 E. 11 links curb; & a
Lo. 13 " " " N3 1/2 W. 21 " "
Lands and timber similar to last mile.

East On a Random line between Sul. 27 & 34 T 16 N. 4 W.
40.00 Set a temp. 1/4 sec post.
79.50 Enter cut the N.W. line at the first cor of lvs. 26, 27, 34 & 35
Lands rolling and 2nd rate; Timber Birch, Sugar, Hairy
&c, under the Spruce.

West On the true line between Sul. 27 & 34. T 16 N. 4 W.
39.75 Set the temp. 1/4 sec. post at the av. dish on the true line
from which W. Elm 11 in air: bears S31 1/2 W. 20 links curb
and a Buck 13. " " " N11 1/2 E. 27 " "
79.50 To the first cor of lvs. 27, 28, 33 & 34.

T^N 16. N.R. N^o 4th. 2nd Mer. Ind^o

North Between Sul. 27 & 28 T^N 16. N.R. N^o 4th.
 22.00 To a Poplar 10 in. dia: in the line
 40.00 Set the $\frac{1}{4}$ support from which
 W. Ash. 16 in. dia: beam S^W 17.6 links dia; & a
 Hickory 6 " " " N 38 E. 4 " "
 61.58 To a Sugar. 12 in. dia: in the line
 80.00 Set a post for the cor of sul. 21, 22, 27 & 28 from which
 W. Ash. 28 in. dia: beam S 30 E. 21 links dia; & a
 Buck. 10 " " " N 45 W. 25 " "
 Sander rolling under 2nd rate; Timber Buck, Sugar &
 Wash, Poplar & Walnut. Undergrowth Spice & Ironwood

East Oak Run line between Sul. 22 & 27 T^N 16. N.R. 4th.
 40.00 Set a stump $\frac{1}{4}$ support.
 55.65 To a Brook. 10 links wide, Corner N.R.
 79.48 Intersected the N 33 line at the post cor of Sul. 22, 23, 26 &
 27. Sander rolling under 2nd rate; Timber Buck
 Sugar, Ash, & Walnut, undergrowth Spice, & Ironwood.

West On the true line between Sul. 22 & 27 T^N 16. N.R. 4th.
 39.74 Set the stump $\frac{1}{4}$ support at the corner dia: on the true line.
 from which Sugar. 18 in. dia: beam S 52 E. 16 links dia;
 and a Do. 16 " " " N 35 W. 30 " "
 79.48 To the post cor of sul. 21, 22, 27 & 28.

North Between Sul. 21 & 22 T^N 16. N.R. 4th.
 20.80 To a Buck. 12 in. dia: in line
 40.00 Set a $\frac{1}{4}$ support from which a
 Sugar 20 in. dia: beam S 33 E. 6 links dia; & a
 Do. 12 " " " N 6 E. 6 " "
 52.60 To a Brook 30 links wide; Corner N.
 80.00 Set a post for the cor of sul. 15, 16, 21 & 22 from which
 Sugar. 12 in. dia: beam N 16 E. 7.9 links dia; & a

T^N 16. N.R. N^o 4 W. 2nd Mer. Sec^y

White 24 in. dia^r hem. S29 E. 20 links out;
 Land rolling under good 2nd rate; Timber Birch, Sugar,
 Ash, Hick^y, 13 Walnut & undergrowth Spruce.

East On a Random line between Sec. 15 & 22, T16 N. 4 W
 38.00 To a Brook 40 links wide; Corner S.W.
 40.00 Set a trap 1/4 1/4 to post.
 79.46 Enter cut the N & S line at the post cor of Sec. 14, 15, 22, & 23.
 Land & timber same as last mile;

West On the true line between Sec. 15 & 22, T16 N.R. 4 W.
 39.73 Set the trap 1/4 1/4 to post at the corner ditch on the true line from
 which a Sycamore 20 in. dia^r hem. N11 E 6 links out;
 maple 10. 20 " " " S27 W. 23. " "
 79.46 To the post corner of Sec. 15, 16, 21 & 22.

North Between Sec. 15 & 16, T16 N.R. N^o 4 W.
 19.45 To a W. Oak 30 in. dia^r in line.
 40.00 Set a 1/4 to post from which a
 Birch 12 in. dia^r hem. S30 E. 17 links out; & a
 Sugar 11 " " " N17 E. 30 " "
 57.10 To a Red Oak 22 in. dia^r in line.
 80.00 Set a post for the cor of Sec. 9, 10, 15 & 16 from which a
 Sycamore 36 in. dia^r hem. S4 E. 2 links out; & a
 W. Oak 5 " " " N31 W. 10 " "
 Land rolling under 2nd rate; Timber Birch, Sugar,
 Hick^y & W. Oak, & W. Oak; undergrowth Spruce & Maple.

East On a Random line between Sec. 10 & 15, T16 N. 4 W.
 40.00 Set a trap 1/4 1/4 to post
 79.48 Enter cut the N & S line at the post cor of Sec. 10, 11, 14 & 15
 Land & timber similar to last mile.

T. N. 16. N. R. N. 47. 2nd Mer Sud.

West	On the true line between Lat 10 & 15. T. 16 R. 47
39.74	Set the temporary 1/4 sec post at the corner dish on the true line from which a Sugar 12 in dia: bend. S 41 E. 26 1/2 lbs dish and a Heater 10 " " " N 41 W. 20 " "
79.48	To the post cor. of Lat. 9.10.15 & 16.
North	Between Lat. 9 & 10 T. 16 R. 47
29.20	To a B Walnut 24 in. dia: in line
40.00	Set a 1/4 sec post from which a Beech 12 in. dia: bend. N 12 W. 20 1/2 lbs dish; & a R. Oak 48 " " " S 12 E. 20 " "
57.10	To a Sycamore 24 in. dia: in line
80.00	Set a post for the cor. of Lat. 3.4.9 & 10 from which a Beech 14 in. dia: bend. S 62 1/2 E. 7 1/2 lbs dish; & a Ho. 14 " " " S 69 W. 32 " "
	Sands rolling and 2nd rate; Timber Beech, Sugar, Heater, Lym, Elm & Red Oak; undergrowth Spruce.
East	On a Random line between Lat. 3 & 10 T. 16 R. 47.
40.00	Set a temporary 1/4 sec post
79.30	Intersect the N & S line at the post cor. of Lat. 2, 3, 10, & 11. Sands rolling and 2nd rate; Timber Beech, Sugar, Ash, Poplar Red Oak, Bk & Pin Oak & undergrowth Spruce.
West	On the true line between Lat. 3 & 10 T. 16 R. 47
39.75	Set the temporary 1/4 sec post (from which a) corner dish. W. Oak 7 in. dia: bend. N 25 W. 6 1/2 lbs dish; & a Ho. 9 " " " S 29 W. 19 " "
79.50	To the post cor. of Lat. 3.4.9 & 10.
North	Between Lat. 3 & 4 T. 16 R. 47
25.80	To a Sugar 12 in. dia: in line

T. N. 16. N.R. No 4 W. 2nd Mer Ind.

40.00	Set a $\frac{1}{4}$ su post from which a Sugar 12 in. diam. beam. N 31 E. 19 links dist; & a W. Cherry 9 " " " S 35 $\frac{1}{2}$ E. 33 " "
45.80	To a Brook 12 links wide; Course N.W.
57.10	To a Creek 40 " " " N.W.
68.75	" " Sugar 20 in. diam. in the line.
85.13.	Intersect the East & West line or N. Boundary & Set a post for the cor of Sub. 3 & 4. from which an Oak 9 in. diam. beam. N 3 $\frac{1}{2}$ E. 10 links dist; & a P. Oak 12 " " " S 82 $\frac{1}{2}$ W. 12 " " Land rolling under 2 nd rate; Timber Beech, Sugar Ash, Hickory Elm &c. undergrowth Spruce, Maple
North	Between Sub. 32 & 33 T. 16 R. 4 W.
29.94	To a Red Oak 24 in. diam. in the line
40.00	Set a $\frac{1}{4}$ su post from which a W. Oak. 12 in. diam. beam. N 65 $\frac{1}{2}$ W. 9 links dist; & a P. Elm 18 " " " S 32 E. 11 " "
49.00	To a Brook 40 links wide; Course N.W.
63.09	" " Sugar 18 in. diam. in the line.
80.00	Set a post for the cor of Sub. 28. 29. 32 & 33 from which a Quaking Asp 14 in. diam. beam. N 53 $\frac{1}{2}$ W. 10 links dist and a No 12 " " " N 60 $\frac{1}{2}$ W. 10 " " Land rolling & 2 nd rate; Timber Beech, Sugar Ash, Sugar Hickory & Pin Oak; undergrowth Spruce.
East	On a Random line between Sub. 28 & 33. T. 16. R. 4 W.
40.00	Set a temporary su. post
79.93	Intersect the N & S line at the first cor of Sub. 27. 28, 32 & 33. Land rolling & 2 nd rate; Timber Beech, Sugar, Ash, Red Oak, & Poplar; undergrowth Spruce.
West	On the same line between Sub. 38 & 33. T. 16 R. 4 W.

T. N. 16. N. R. N. 4 W. 2nd Mer. Ind.

39.90⁷ Set the transp. 7/4 su. post at the corr. dish in the true line
from which a Sugar. 18 in. dia. beam. N 48 E. 15 lks dish
and a Hickory 9" " " S 50 E. 16" "
79.93 To the post cor of sec. 28, 29, 32 & 33.

North Return Sec. 28 & 29 T. 16. R. 4 W.
22.40 To a Sycamore 14 in. dia. in line.
40.00 Set a 7/4 su post from which a
Buck. 16 in. dia. beam. S 59 E 24 links dish; 13
Sugar. 20" " " N 80 W. 19" "
62.50 Top Buck. 12 in. dia. in line.
80.00 Set a post for the cor of sec. 20, 21, 28 & 29 from which
a Pin Oak 9 in. dia. beam N 28 1/2 W 21 lks dish
& a Ho. 18" " " S 42 E. 8" "
Sand and timber same as last mile.

East On a Keweenaw line between Sec. 21 & 28 T. 16 R. 4 W.
13.05 To a Buck 12 links wide, corner. N. W.
40.00 Set a transp. 7/4 su post
80.00 Intersect the N & S line at the post cor of sec. 21, 22, 27
& 28 Sand rolling & 2nd rate; Timber Buck,
Sugar Ash, Hickory & 1/2 R. Walnut; weight Spruce

West On the true line between Sec. 21 & 28 T. 16 R. 4 W.
40.00 Set the transp. 7/4 su post at the corr. dish in the true
line from which a Sugar. 10 in. dia. beam. S 26 E 19 lks dish
and a Buck 24" " " N 26 W 21" "
80.00 To the su. cor. 20, 21, 28 & 29

North Return Sec. 20 & 21, 28 & 29 T. 16 R. 4 W.
0.50 To a Buck 12 lks wide; Corner S. W.
26.20 To a W. Ash, 15 in. dia. in line.
40.00 Set a 7/4 su post from which a

T^h N^o 16. N.R. N^o 4 N. 2nd Mer. Sur^y

283

	Sugar. 4 in. dist. from N 48 E. 8 links west; & a, Do. 12 " " " N 87 N. 24 " "
41.50	To a Brook 40 links west, Course S. N.
70.75	To a Buck. 18 in. dist. in the line
80.00	Set a post for the cor. of Sur. 16. 17. 20 & 21. from which a Buck 7 in. dist. from N 18 E. 25 links west; & a, Do. 17. " " " S 80 E. 25 " "
	Sand rolling and 2 nd rate; Limbs Buck, Sugar, Ash, Hickory, W Oak, Poplars, under y th Spruce Shrub & Dogwood &
Each	Between Sur. 16 & 21. N 16 R. 4 N.
28.30	To a Brook 10 links west, Course S. N.
40.00	Set a temp. 1/4 in. post
80.00	Intersect the N & S line at the first cor. of Sur. 15. 16. 20 & 22. Sand rolling and 2 nd rate; Limbs Buck, Sugar, W Oak, N. Oak, & Hickory; under y th Spruce.
West	On the true line between Sur. 16 & 21. N 16 R. 4 N.
40.00	Set the temp. 1/4 in. post at the av. dist. on the true line from which a Sugar. 9 in. dist. from N 1/2 N. 34 links west and a Buck 9 " " " S 12 E. 37 " "
80.00	To the cor. of Sur. 16 17. 20 & 21.
North	Between Sur. 16 & 17 N 16 R. 4 N.
25.38	To a Pin Oak 34 in. line.
40.00	Set a 1/4 in. post from which a Poplar 36 in. dist. from North 20 links west; & a Buck 12 " " " S 57 N. 20 " "
60.37	To a Buck 30 in. dist. in line
80.00	Set a post for the cor. of Sur. 8. 9 16 & 17 from which a Hickory 10 in. dist. from N 27 N. 18 links west; & a Buck 10 " " " S 18 E. 14 " "

T. N^o 16. N.R. N^o 477. 2nd Mr Ind.

Land rolling and 2nd rate; Timber Beech, Sugar
Ash, Hickory Poplar, & Red Oak; under the Spine

Cash	On a Random line between Sec. 9 & 16 T16 R4 N
40.00	Set a temp ^y 7/4 cu post
80.00	Intersect the N & S line at the post cor of Sec. 9, 10, 15 & 16 Land rolling and 2 nd rate; Timber Beech, Sugar, Ash, Sugar Walnut & Under the Spine
With	On the true line between Sec. 9 & 16 T16 R4 N.
40.00	Set the temp ^y 7/4 cu post at av. dist on the true line from which a Beech 9 in. diam. bears N12 E. 27 the dist and a Do. 10 " " " N35 W. 36, "
80.00	To the post cor of Sec. 8, 9, 16 & 17
With	Between Sec. 8 & 9 T16 R4 N.
21.75	To a Sugar 9 in. diam. in the line
40.00	Set a 7/4 cu. post from which a Sugar 18 in. diam. bears N55 W. 20 links dist; & a Do. 11 " " " N35 W. 27, "
64.60	To a Hickory 16 in. diam. in the line.
80.00	Set a post for the cor of Sec. 4, 5, 8 & 9 from which a Sugar 11 in. diam. bears S2 E. 29 links dist; & a Sugar 18, " " " N9 E. 25 " " Land rolling & 2 nd rate; Timber Beech, Sugar Ash, BK Walnut &c, under the Spine.
Cash	On a Random line between Sec. 4 & 9 T16 R4 N
40.00	Set a temp ^y 7/4 cu post
80.00	Intersected the N & S line at the post cor of Sec. 3 & 4. 9 & 10 Timber Beech, Sugar, Ash, Elm & BK Wal- nut; and the Spine, Land roll & 2 nd rate.

28

T. N. 16. N.R. N. 4 W. 2nd Mer. Ind.

Wash	Out the true line between Lul. 4 & 9 S. 16 N. 4 W
40.00	Set the trap 17 1/4 supst at av. dist in the true line from which a Sugar 14 in dia: bears N 16 E. 23 lks dist
80.00	made a Sugar 24 " " " S 53 E. 28 " "
	To the post crossed. 45.8 & 9.
North	Return Lul. 4 & 5 S. 16 N. 4 W
24.00	To a Brook 12 lks wide, Co. N.W.
25.50	To a Red Oak 16 in dia: in line
40.00	Set a 1/4 supst. from which an Elm 14 in dia: bears N 11 E. 31 lks dist, & a Buckeye 14 in dia: bears S 41 W. 26 lks.
64.50	To a Brook 75 lks wide, Co. S.W.
65.75	" " Sycamore 14 in dia: in line.
75.70	To a Brook 40 lks wide, Co. S.W.
79.00	" " 20 40 " " " S.E.
84.15	Enter sub the N.W. bound. in a stream and set a post for the cross. 45.5 from which an Elm 14 in dia: bears S 53 E. 45 lks dist; & a Sycamore 14 in dia: bears S 53 E 8 lks dist. Small rolling R. oak; Junco Sugar, 13 Walnut, Hack, berry. Buckeye & many other Spies.
North	Return Lul. 31. 32. S. 16 N. 4 W
23.20	To a Buck 14 in dia: in line.
40.00	Set a 1/4 supst; from which a Sugar 15 S. 20. bears N 59 E. 17 lks & a Poplar 15 S. 20. bears N 41 W. 32 lks dist;
64.17	To a Sycamore 16 in dia: in line
80.00	Set a post crossed. 29.30 31 32; Cross on a Double Hickory 12 in dia: from which a W. Cherry 8 in dia: bears N 74 W. 17 lks dist; & a Hick 15 S. 10. bears N 75 E. 5 lks; Land only and good 2 nd rat; Junco Buck, Sugar, Hick 13 Walnut & Poplar. many other Spies.
East	Run from line between Lul. 29 & 32 S. 16 N. 4 W

T. N^o 16 N. R. N^o 4 W. 2nd Mer Ind^{er}

33.00 To a Brook 30 the mile, Corner N. W.
 40.00 Set a trap 7 1/4 sec. fresh
 80.00 Entered the N. W. line at foot. Land apart bottom & past
 rolling; good 2nd rate; Timber Hickory Sugar, Sugar Maple
 N. Cherry & Oak; many 8th 13th 16th aw. N. 12th 13th 14th 15th

West Cut the line between Sur. 29 & 32. N. 16 R. 4 W.
 40.00 Set the trap 7 1/4 sec. at an orchard, from which is Maple Corn.
 clear beans 35 E. 6 birds orch; & a C. apple 32 E. N. 38 W. 10 the orch.
 80.00 To the post cor of Sur. 29 & 30. 31 & 32

West Return Sur. 30. 131 N. 16 R. 4 W.
 15.00 To a Spring Branch
 17.00 To a N. Cherry 12 in air in line.
 40.00 Set a post from which is Buckeye 8 in air beans N. 77 W. 9 the
 & a Crab apple 9 S. W. beans 959 E. 27 the orch;
 54.48 Entered the West 13th form along 50 the N. of the post cor of 25 & 36 N. 16
 R. 3 W. from which is — 12 in air beans 968 E. 7 the orch; & a
 N. Cherry 9 in air beans N. 31 W. 20 the orch; Land only 2nd
 4th; Timber same as last mile.

North Return Sur. 29 & 30 N. 16 R. 4 W.
 16.50 To a Brook 40 the mile; Co. N. W.
 19.75 To a Sugar 15 in air in line
 40.00 Set a post from which is Buck 18 S. W. 921 E. 25; & a 22.0. 13
 S. W. N. 60 E. 38 the orch;
 53.75 To a Brook 40 the mile, Co. S. W.
 71.90 To a Sugar 12 in air in line
 80.00 Set a post from the cor of Sur. 19 & 20 & 29 & 30 from which is Sugar
 20. 910 W. 26. & a Poplar 20. N. 12 E. 19 the orch; Land same

East On a Random line between Sur. ^{20 & 29} N. 16 R. 4 W.
 11.75 To a Brook 40 the mile, Co. S. W.

T. H. R. 4 77 2nd New Ind.

39.40	To a Brook 12 lbs mid, lower N.W.
40.00	Set a trap 1/4 cup of
78.75	To a Brook 12 lbs mid, Co. S.W.
80.00	Set out the N.W. line at post. Sand & Timber from
West	Out the time line between Sw. 20.129. T. H. R. 4 77.
40.00	Set the trap 1/4 cup of at an ash from which a Sugar. (2.22).
	has N 76 E. 14 + a Sugar, 14 in air. has N 24 W. 15 lbs air.
80.00	To the post cor of Sw. 19. 20. 29 & 30
West	Petroleum Sw. 19 & 30. T. H. R. 4 77.
27.90	To a Sugar. 10 in air. has in line
40.00	Set a 1/4 cup of from which a Brook. 36 in air. has
	N 17 E. 8 lbs; to a Sugar. 4 in air. has N 66 W. 10 lbs air.
53.55	Set out the N.W. line 13 lbs, N. of the post cor of Sw. 25 & 24
	T. H. R. 5 77. and set a post from which a
	Brook. 9 in air. has N 23 W. 9 lbs air; to a
	Sugar. 14 " " N 27 E. 34 " "
	Sand rolling and 2 nd rate; Timber Brook, Sugar,
	Heir, willow, & 1/2 undergrowth Spruce & Juniper.
North	Petroleum Sw. 19 & 20 T. H. R. 4 77.
18.10	To a Sugar 16 in air. has in line.
40.00	Set a 1/4 cup of from which a
	Brook 15 in air. has N 9 1/2 W. 15 lbs air; to a
	Sugar. 5 " " " N 29 E. 18 " "
58.33	To a Sugar 16 in air. in line.
80.00	Set a post for the cor of Sw. 17. 18. 19 & 20 from which
	a Brook 14 in air. has N 28 W. 24 lbs air; to a
	Sugar 4 " " " N 28 E. 24 " "
	Sand same as last mile,

T. N. 16. N. R. N. 4 W. 2nd Mer. Ind.

East On a run line between Sec. 17 & 20 T. 16 N. 4 W.
 40.00 Set a trap 7 1/2 ft. low.
 66.50 To a small Branch Co. S.
 80.00 Intersect the N. S. line at the post cor of sec. 16 & 17
 20 & 21. Sand & Timber Run.

West On the same line between Sec. 17 & 20 T. 16 N. 4 W.
 40.00 Set the trap 7 1/2 ft. up at the aver. dish on the same line
 from which a Sugar 11 in. diam. band. Sec. 17. 8 ft. dish;
 made a Do. 5 " " " N. 87 E. 20 " "
 80.00 Set the post cor of sec. 17, 18, 19 & 20.

West Return Sec. 18 & 19 T. 16 N. 4 W.
 20.94 To the Dick 13 in. diam. in line
 40.00 Set a post from which a
 W. Oak 13 in. diam. band. N. 49 W. 16 ft. dish; to
 Sugar 13 " " " N. 77 E. 24 " "
 53.04 Intersect the N. S. line 32 links North of the post
 cor of sec. 12 & 13 T. 16 N. 5 W. and set a post for the
 cor of sec. 18 & 19 from which a
 Sugar 13 in. diam. band. S. 42 E. 19 links dish; to
 Do. 13 " " " N. 42 W. 11 " "
 Sand rolling good 2nd rate, Timber Buck, Sa-
 gar, Hickory, Undergrowth Spruce.

North Return Sec. 17 & 18 T. 16 N. 4 W.
 19.75 To a sugar 10 in. diam.
 40.00 Set a post from which a
 Buck 14 in. diam. band. N. 37 W. 33 links dish; to
 Do. 13 " " " S. 36 W. 31 " "
 59.75 To a sugar 10 in. diam. in line.
 80.00 Set a post for the cor of sec. 17 & 18 from which a
 Hickory 12 in. diam. band. N. 37 W. 33 links dish; to

289

T. N. 16. N. R. N. 4 W. 2nd Mer. Ind. ~

Beck. 10 in. diam. trees. S 8 1/2 W. 19 links cash;
Land R. rate & rolling; Timber Sugar, Beech, Hickory
W. Walnut & W. Ash; undergrowth Spice & Amurwood

East On a N. line between Sec. 8 & 17 T. 16 N. 4 W.
40.00 Set a trap 1/4 mi. post
80.00 Intersected the N. & S. line at the post. cor. of Sec. 8, 9, 16 & 17
Land rolling and 2nd rate; Timber Beech, Sugar,
Hickory; &c. undergrowth Spice.

West On the true line between Sec. 8 & 17 T. 16 N. 4 W.
40.00 Set the trap 1/4 mi. post at the corner dist. on the true line
from which a N. Beck. 5 in. diam. trees. S 50 E 8 links cash;
made a Sugar. 14 " " " N 37 W 45 " "
80.00 To the post cor. of Sec. 7, 8, 17, & 18.

West Between Sec. 7 & 18 T. 16 N. 4 W.
16.36 To a Beck. 22 in. diam. in line.
40.00 Set a 1/4 mi. post from which a
W. Oak 11 in. diam. trees. S 39 E. 25 links cash; & a
W. Walnut 4 " " " N 17 1/2 W. 9 " "
32.80 Intersected the West Boundary of T. 16 N. 4 W. 17 links
North of the post and set apart for the cor. of Sec.
7 & 18 from which a
Hickory 12 in. diam. trees. N 20 W. 5 links cash; & a
L. 14 " " " S 65 E. 23 " "
Land rolling 2nd rate; Timber Sugar, Hickory,
W. Oak, Beech &c. undergrowth Spice & Amurwood.

North Between Sec. 7 & 8 T. 16 N. 4 W.
21.54 To a Hickory 24 in. diam. in line
40.00 Set a 1/4 mi. post from which a
W. Oak, 42 in. diam. trees. S 85 W. 9 links cash; & a

T^h N^o 16. N.R. N^o 4 W. 2nd Mer Ind.

57.45	W. Oak 30 in. air beam. N 79 E. 40 links dist;
80.00	To a sugar 10 in. air in line. Set a post for the cor of sec. 5, 6, 7 & 8 from which a sugar 13 in. air beam. S 67 E. 11 links dist; & a Puckey 13 " " S 59 W 26 " " Sandy rolling and 2 nd rate; Timber Birch, Sugar, Hickory ash, &c, under the Spruce.
East	On a random line between Sec. 5 & 8 T ^h 16 N. 4 W.
40.00	Set a temporary 1/4 section post.
69.00	To a Brook 8 links wide, Course N.
80.00	Intersect the NTS line at the post cor of sec. 4, 5, 8 & 9 Sandy timber similar
West	On the true line between Sec. 5 & 8 T ^h 16 N. 4 W.
40.00	Set the temporary 1/4 section post at the true dist on true line from which a Hickory 12 in. air beam. S 17 N. 8 links dist and a W. Oak 30 " " " S 42 W 11. 18. "
80.00	To the post cor of sec. 5, 6, 7 & 8.
West	On the true line between Sec. 6 & 7 T ^h 16 N. 4 W.
22.73	To a Hickory 24 in. air in the line.
40.00	Set a temporary post from which a W. Oak 42 in. air beam. S 26 E. 25 links dist; & a Puckey 7 " " " N 24 W 13 " "
48.00	To a Brook 75 links wide; Course S. W.
52.50	Intersect the NTS line at West Boundary 28 links N. of the post cor of sec. 1 & 12 Township N ^o 16 R. 5 W. & set a post for the cor of sec. 6 & 7 from which a Puckey 6 in. air beam N 9 E. 6 links dist; & a Hickory 16 " " " S 19 W 36 " " Sandy 2 nd rate bottom Timber Hickory Elm, Hickory Birch Oak &c under the Spruce & N. Birch

29

T. N. 16 N.R. N. 4 N. 2nd Mer. Ind.?

North Return Sub. 586 T. N. 16 N.R. 4 N.
 25.00 To a B. & O. 75 links wide; Corner S. N.
 26.50 " " Hackberry 20 in. diam in line.
 40.00 Set a 74 support from which a
 Sugar. 17 in. diam bears S 37 N. 10 W. 100 feet; & a
 N. 74 W. 13. " " N 27 E 36. " "
 58.90 To a Hack 17.10 in. diam in line.
 83.79 Enter at the N. 74 W. 13. and set a post for the corner of
 Sub. 586 from which a
 Red Elm 11 in. diam bears S 47 E. 22, 100 feet; & a
 Buck 75 6. " " N 11 E. 16. " "
 Landrolling and good 2nd rate; Timber, Sugar,
 Hickory Bk. & N. 74 W. 13. undrained Spr.
 Surveyed by
 Allen Wright: L.S.

I certify that the foregoing Transcript of
 the field notes of Township N. 16 North of Range
 N. 4 West 2nd Mer. Indiana, has been com-
 pared with the Original notes in this Office & found
 to be correct.

Surveyor General's Office
 Cincinnati, Apr. 1841

E. S. Haines
 Sur. Genl.